



## SAFETY DATA SHEET

### MicroCare CMS Specialty Flux Remover

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

**Product name** MicroCare CMS Specialty Flux Remover  
**Product number** MCC-CMSL, MCC-CMSG, MCC-CMSGG, MCC-CMSP, MCC-CMSD, MCC-CMSGL

##### Recommended use of the chemical and restrictions on use

**Application** Cleaning agent.

##### Details of the supplier of the safety data sheet

**Supplier** MICROCARE CORPORATION  
**Manufacturer** MICROCARE CORPORATION  
 595 John Downey Drive  
 New Britain, CT 06051  
 United States of America  
 CAGE: OATV9  
 Tel: + 1 800 638 0125, +1 860-827-0626  
 Fax: +1 860-827-8105  
 techsupport@microcare.com

##### Emergency telephone number

**Emergency telephone** CHEMTREC 1-800-424-9300 (within the U.S.)  
 +1 703-741-5970 (from anywhere in the world)

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**OSHA Regulatory Status** This Product is Hazardous under the OSHA Hazard Communication Standard.

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 STOT SE 1 - H370

**Environmental hazards** Aquatic Chronic 3 - H412


**Human health** See Section 11 for additional information on health hazards. May be slightly irritating to eyes. Splashes in the eyes may cause redness and irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Physicochemical** Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers.

##### Label elements

## MicroCare CMS Specialty Flux Remover

### Pictogram



### Signal word

Danger

### Hazard statements

H302 Harmful if swallowed.  
 H370 Causes damage to organs .  
 H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P261 Avoid breathing vapor/ spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell.  
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 P302+P352 If on skin: Wash with plenty of water.  
 P314 Get medical advice/ attention if you feel unwell.  
 P501 Dispose of contents/ container in accordance with national regulations.

### Supplemental label information

EUH210 Safety data sheet available on request. RCH001a For use in industrial installations only.

### Contains

trans-DICHLOROETHYLENE, METHANOL

### Other hazards

This product contains a substance classified as PBT.

### 3. Composition/information on ingredients

#### Mixtures

<b>trans-DICHLOROETHYLENE</b>	<b>30-60%</b>
CAS number: 156-60-5	
<b>Classification</b> Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Aquatic Chronic 3 - H412	
<b>1,1,1,2,2,3,4,5,5,5-decafluoropentane</b>	<b>30-60%</b>
CAS number: 138495-42-8	
<b>Classification</b> Aquatic Chronic 3 - H412	
<b>1,1,1,3,3-PENTAFLUOROBUTANE</b>	<b>10-30%</b>
CAS number: 406-58-6	
<b>Classification</b> Flam. Liq. 2 - H225	

## MicroCare CMS Specialty Flux Remover

<b>METHANOL</b>	<b>1-5%</b>
CAS number: 67-56-1	
<b>Classification</b>	
Flam. Liq. 2 - H225	
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
STOT SE 1 - H370	

The full text for all hazard statements is displayed in Section 16.

**Composition comments** The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200 TSCA: The ingredients of this product are on the TSCA Inventory.

### Composition

#### 4. First-aid measures

##### Description of first aid measures

<b>General information</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Place unconscious person on the side in the recovery position and ensure breathing can take place. If breathing stops, provide artificial respiration. Keep out of the reach of children.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Consult a physician for specific advice.
<b>Skin Contact</b>	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Consult a physician for specific advice.

##### Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

##### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

#### 5. Fire-fighting measures

##### Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

##### Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors. Closed containers can burst violently when heated, due to excess pressure build-up.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon.

## MicroCare CMS Specialty Flux Remover

### Advice for firefighters

**Protective actions during firefighting** Containers close to fire should be removed or cooled with water.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Warn everybody of potential hazards and evacuate if necessary. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level.

#### Environmental precautions

**Environmental precautions** Contain spillage with sand, earth or other suitable non-combustible material. Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with non-combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground. Contain and absorb spillage with sand, earth or other non-combustible material. Collect spillage with a shovel and broom, or similar and reuse, if possible. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Reference to other sections** See Section 11 for additional information on health hazards.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid inhalation of vapors/spray and contact with skin and eyes.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep out of the reach of children.

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

**Reference to other sections.** Store away from incompatible materials (see Section 10).

### 8. Exposure Controls/personal protection

#### Control parameters

#### Occupational exposure limits

##### trans-DICHLOROETHYLENE

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m<sup>3</sup>

##### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

No information available that would effect occupational exposure limit values.

##### 1,1,1,3,3-PENTAFLUOROBUTANE

Long-term exposure limit (8-hour TWA): SUP 1000 ppm

##### METHANOL

## MicroCare CMS Specialty Flux Remover

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 262 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 250 ppm 328 mg/m<sup>3</sup>

Sk

Long-term exposure limit (8-hour TWA): OSHA 200 ppm 260 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

Sk = Danger of cutaneous absorption.

OSHA = Occupational Safety and Health Administration.

### Additional Occupational Exposure Limits

**Ingredient comments** ACGIH = US Standard. WEL = Workplace Exposure Limits

### METHANOL (CAS: 67-56-1)

**Biological limit values** 15 mg/l

### Exposure controls

#### Protective equipment



#### Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

#### Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Wear apron or protective clothing in case of contact.

#### Hygiene measures

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. When using do not eat, drink or smoke.

#### Respiratory protection

Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Color</b>	Water-white.
<b>Odor</b>	Slight. Ether.
<b>Odor threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.

## MicroCare CMS Specialty Flux Remover

<b>Initial boiling point and range</b>	36°C/96.8°F @ unspecified
<b>Flash point</b>	The product is not flammable. Tag Closed Cup (ASTM D 56)
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	Upper flammable/explosive limit: 14.00 %(V) Lower flammable/explosive limit: 6.25 %(V)
<b>Other flammability</b>	No information available.
<b>Vapor pressure</b>	66.3 kPa @ 20°C
<b>Vapor density</b>	4.3
<b>Relative density</b>	1.304 @ 20°C
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Refractive index</b>	No information available.
<b>Particle size</b>	No information available.
<b>Molecular weight</b>	No information available.
<b>Volatility</b>	100%
<b>Saturation concentration</b>	No information available.
<b>Critical temperature</b>	No information available.
<b>Volatile organic compound</b>	No information available.
<b>Flammability</b>	The product is not flammable.

### 10. Stability and reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors.

## MicroCare CMS Specialty Flux Remover

<b>Materials to avoid</b>	Alkali metals. Alkaline earth metals. Powdered metal.
<b>Hazardous decomposition products</b>	Heating may generate the following products: Toxic and corrosive gases or vapors. Halogenated hydrocarbons. Hydrogen fluoride (HF). Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO).

### 11. Toxicological information

#### Information on toxicological effects

**Other health effects** There is no evidence that the product can cause cancer.

#### Acute toxicity - oral

**ATE oral (mg/kg)** 1,466.31

#### Acute toxicity - dermal

**ATE dermal (mg/kg)** 8,571.43

#### Acute toxicity - inhalation

**ATE inhalation (vapours mg/l)** 85.71

<b>Inhalation</b>	Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. Headache. Dizziness.
<b>Ingestion</b>	Harmful if swallowed. Irritating. Symptoms following overexposure may include the following: Nausea, vomiting. Stomach pain.
<b>Skin Contact</b>	Liquid may irritate skin.
<b>Eye contact</b>	Irritating to eyes.
<b>Route of entry</b>	Skin and/or eye contact Ingestion. Inhalation
<b>Target Organs</b>	Eyes Respiratory system, lungs Skin
<b>Medical Symptoms</b>	Product has a defatting effect on skin. May cause allergic contact eczema. In case of overexposure, organic solvents may depress the central nervous system causing dizziness and intoxication, and at very high concentrations unconsciousness and death.

#### Toxicological information on ingredients.

##### trans-DICHLOROETHYLENE

**Other health effects** There is no evidence that the product can cause cancer.

##### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

**ATE oral (mg/kg)** 5,000.0

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

## MicroCare CMS Specialty Flux Remover

<b>ATE dermal (mg/kg)</b>	5,000.0
<b><u>Acute toxicity - inhalation</u></b>	
<b>Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)</b>	114.0
<b>Species</b>	Rat
<b>ATE inhalation (vapours mg/l)</b>	114.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Not irritating. Rabbit
<b>Human skin model test</b>	Data lacking.
<b>Extreme pH</b>	Not applicable. Not corrosive to skin.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Not irritating. Rabbit
<b><u>Respiratory sensitization</u></b>	
<b>Respiratory sensitization</b>	Data lacking.
<b><u>Skin sensitization</u></b>	
<b>Skin sensitization</b>	Not sensitizing. - Guinea pig: Not sensitizing.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	This substance has no evidence of mutagenic properties.
<b>Genotoxicity - in vivo</b>	This substance has no evidence of mutagenic properties.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Does not contain any substances known to be carcinogenic.
<b>IARC carcinogenicity</b>	Not listed.
<b>NTP carcinogenicity</b>	Not listed.
<b>OSHA Carcinogenicity</b>	Not listed.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	No evidence of reproductive toxicity in animal studies.
.	
<b>Skin Contact</b>	Skin irritation should not occur when used as recommended. May cause defatting of the skin but is not an irritant.
<b>Eye contact</b>	May cause eye irritation.
<b>Acute and chronic health hazards</b>	There is no evidence that the product can cause cancer.

### 1,1,1,3,3-PENTAFLUOROBUTANE

#### Acute toxicity - oral



## MicroCare CMS Specialty Flux Remover

Acute toxicity oral (LD<sub>50</sub>  
mg/kg) 2,000.0

Species Rat

ATE oral (mg/kg) 2,000.0

### Acute toxicity - inhalation

Acute toxicity inhalation  
(LC<sub>50</sub> vapours mg/l) 100,000.0

Species Rat

ATE inhalation (vapours  
mg/l) 100,000.0

### Specific target organ toxicity - single exposure

STOT - single exposure LOAEL 75100 ppm, Inhalation,

### Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 6 mg/l, Inhalation, Rat

Target organs Liver Kidneys

## METHANOL

### Acute toxicity - oral

ATE oral (mg/kg) 100.0

### Acute toxicity - dermal

ATE dermal (mg/kg) 300.0

### Acute toxicity - inhalation

Acute toxicity inhalation  
(LC<sub>50</sub> vapours mg/l) 87.5

ATE inhalation (vapours  
mg/l) 87.5

## 12. Ecological Information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

### Ecological information on ingredients.

#### trans-DICHLOROETHYLENE

**Ecotoxicity** Low acute toxicity to aquatic organisms.

#### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

**Ecotoxicity** It is unlikely that the substance will dissolve in water in amounts big enough to have a toxic effect on fish and daphnies.

**Toxicity** No data available.

### Ecological information on ingredients.

#### trans-DICHLOROETHYLENE

## MicroCare CMS Specialty Flux Remover

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 1350 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 220 mg/l, Daphnia magna

### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 13.9 mg/l, Onchorhynchus mykiss (Rainbow trout)
<b>Acute toxicity - aquatic invertebrates</b>	LC <sub>50</sub> , 48 hours: 11.7 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: >120 mg/l, Algae

### METHANOL

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: >10000 mg/l, Daphnia magna

#### Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

#### Ecological information on ingredients.

### trans-DICHLOROETHYLENE

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

### 1,1,1,2,2,3,4,5,5,5-decafluoropentane

**Bio-Accumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

**Partition coefficient** Pow: 2.7

### METHANOL

**Partition coefficient** : -0.77

#### Mobility in soil

**Mobility** The product contains volatile substances which may spread in the atmosphere.

#### Ecological information on ingredients.

### trans-DICHLOROETHYLENE

**Mobility** The product has poor water-solubility.

#### Other adverse effects

## MicroCare CMS Specialty Flux Remover

**Other adverse effects** The product contains a substance or substances that will contribute to global warming (greenhouse effect). The product contains volatile organic compounds (VOCs) which have a photochemical ozone creation potential.

### 13. Disposal considerations

#### Waste treatment methods

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Waste class** No information available.

### 14. Transport information

**General** Not regulated. The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

#### UN proper shipping name

**Proper shipping name (TDG)** Liquid Cleaning Compound

**Proper shipping name (IMDG)** Liquid Cleaning Compound

**Proper shipping name (ICAO)** Liquid Cleaning Compound

**Proper shipping name (DOT)** Liquid Cleaning Compound

#### Transport hazard class(es)

Not applicable. No information required.

#### Transport labels

No transport warning sign required.

#### Packing group

No information required. Not applicable.

#### Environmental hazards

##### **Environmentally Hazardous Substance**

No.

#### Special precautions for user

Gas or vapor displaces oxygen available for breathing (asphyxiant).

**Transport in bulk according to** No information required.

**Annex II of MARPOL 73/78**

**and the IBC Code**

### 15. Regulatory information

#### US Federal Regulations

**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

Not listed.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

## MicroCare CMS Specialty Flux Remover

### *trans-DICHLOROETHYLENE*

Final CERCLA RQ: 1000(454) pounds (Kilograms)

### *METHANOL*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

Not listed.

### **SARA 313 Emission Reporting**

#### *METHANOL*

1.0 %

### **CAA Accidental Release Prevention**

Not listed.

### **SARA (311/312) Hazard Categories**

None

### **OSHA Highly Hazardous Chemicals**

Not listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

##### *METHANOL*

Known to the State of California to cause developmental and reproductive toxicity.

#### **California Air Toxics "Hot Spots" (A-I)**

##### *METHANOL*

Present.

#### **California Air Toxics "Hot Spots" (A-II)**

Not listed.

#### **California Directors List of Hazardous Substances**

##### *trans-DICHLOROETHYLENE*

Present.

##### *METHANOL*

Present.

#### **Massachusetts "Right To Know" List**

##### *trans-DICHLOROETHYLENE*

Present.

##### *METHANOL*

Present.

#### **Rhode Island "Right To Know" List**

##### *METHANOL*

Present.

#### **Minnesota "Right To Know" List**

## MicroCare CMS Specialty Flux Remover

METHANOL

Present.

### New Jersey "Right To Know" List

METHANOL

Present.

### Pennsylvania "Right To Know" List

*trans*-DICHLOROETHYLENE

Present.

METHANOL

Present.

### Inventories

#### Canada - DSL/NDSL

Yes

#### US - TSCA

Yes

*trans*-DICHLOROETHYLENE

Present.

*1,1,1,2,2,3,4,5,5,5-decafluoropentane*

Present.

1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE (CAS# 138495-42-8) is controlled by TSCA Section 5, Significant New Use Rule

(SNUR; 40 CFR 721.5645) The approved uses are: precision and general cleaning, carrier fluid, displacement drying, printed circuit board cleaning, particulate removal and film cleaning, process medium, heat transfer fluid (dielectric and non-dielectric), and test fluid. Processors and users of this substance must also comply with the applicable general SNUR requirements set forth in 40 CFR 721 subpart A, including export notification requirements if applicable (40 CFR 721.20), and the applicable record keeping requirements set forth at 40 CFR 721.125.

1,1,1,2,2,3,4,5,5,5-Decafluoropentane 138495-42-8

The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. This material contains one or more substances which requires export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D:

*1,1,1,3,3-PENTAFLUOROBUTANE*

Present.

METHANOL

Present.

### 16. Other information

<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	1/17/2018
<b>Revision</b>	40
<b>Supersedes date</b>	9/5/2017
<b>SDS No.</b>	BULK - CMS

## MicroCare CMS Specialty Flux Remover

**SDS status**

Approved.

**Hazard statements in full**

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H370 Causes damage to organs .

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.